







ALTERNATIVE FILTER ELEMENTS

BEKO

BEKO Plastic end caps	G	F	S	A
				
Particle retention	3 µm	0,1 µm	0,01 µm	activated carbon
Solids - q. class (ISO 8573-1)	6	2	1	1*
Oils - q. class (ISO 8573-1)	-	2	1	1
Filter media	acrylic fibres, cellulose	borosilicate micro fibres		activated carbon
Operating temp. range [°C]	1,5 to 65	1,5 to 65	1,5 to 65	1,5 to 45
Diff. pressure (new) [mbar]	10	50	80	60

	G		F		S		A	
	BEKO	OMEGA AIR	BEKO	OMEGA AIR	BEKO	OMEGA AIR	BEKO	OMEGA AIR
	04 G	OBK 04 G/P	04 F	OBK 04 F/M	04 S	OBK 04 S/S	04 A	OBK 04 A/A
	05 G	OBK 05 G/P	05 F	OBK 05 F/M	05 S	OBK 05 S/S	05 A	OBK 05 A/A
	06 G	OBK 06 G/P	06 F	OBK 06 F/M	06 S	OBK 06 S/S	06 A	OBK 06 A/A
	07 G	OBK 07 G/P	07 F	OBK 07 F/M	07 S	OBK 07 S/S	07 A	OBK 07 A/A
	10 G	OBK 10 G/P	10 F	OBK 10 F/M	10 S	OBK 10 S/S	10 A	OBK 10 A/A
	12 G	OBK 12 G/P	12 F	OBK 12 F/M	12 S	OBK 12 S/S	12 A	OBK 12 A/A
	15 G	OBK 15 G/P	15 F	OBK 15 F/M	15 S	OBK 15 S/S	15 A	OBK 15 A/A
	18 G	OBK 18 G/P	18 F	OBK 18 F/M	18 S	OBK 18 S/S	18 A	OBK 18 A/A
	20 G	OBK 20 G/P	20 F	OBK 20 F/M	20 S	OBK 20 S/S	20 A	OBK 20 A/A
	22 G	OBK 22 G/P	22 F	OBK 22 F/M	22 S	OBK 22 S/S	22 A	OBK 22 A/A
	23 G	OBK 23 G/P	23 F	OBK 23 F/M	23 S	OBK 23 S/S	23 A	OBK 23 A/A
	25 G	OBK 25 G/P	25 F	OBK 25 F/M	25 S	OBK 25 S/S	25 A	OBK 25 A/A
	27 G	OBK 27 G/P	27 F	OBK 27 F/M	27 S	OBK 27 S/S	27 A	OBK 27 A/A
	30 G	OBK 30 G/P	30 F	OBK 30 F/M	30 S	OBK 30 S/S	30 A	OBK 30 A/A
	32 G	OBK 32 G/P	32 F	OBK 32 F/M	32 S	OBK 32 S/S	32 A	OBK 32 A/A
	88 G	OBK 88 G/P	88 F	OBK 88 F/M	88 S	OBK 88 S/S	88 A	OBK 88 A/A

* Valid if "S" filter cartridge is installed upstream.